UNIVERSITETET I BERGEN



Introduction to Life Cycle Assessment

Professor Tanja Barth, Department of Chemistry UiB

UNIVERSITETET I BERGEN





About myself:

Professor of organic chemistry

Research on biomass conversion to biofuels and biobased chemicals, and petroleum chemistry

Tanja.Barth@uib.no

We use input from LCA to evaluate feedstocks and products in our research






LCA is complicated, and the results depend on how you do it !



11.02.2020 SIDE 3





LCA can assist in

— identifying opportunities to improve the environmental performance of products at various points in their life cycle,

— informing decision-makers in industry, government or non-government organizations (e.g. for the purpose of strategic planning, priority setting, product or process design or redesign),

— the selection of relevant indicators of environmental performance, including measurement techniques, and

— marketing (e.g. implementing an ecolabelling scheme, making an environmental claim, or producing an environmental product declaration).


There are four phases in an LCA study:

- a) the goal and scope definition phase,
- b) the inventory analysis phase,
- c) the impact assessment phase, and
- d) the interpretation phase

https://www.iso.org/obp/ui/#iso:std:iso:14040:ed-2:v1:en







NU ERST AS




Goal and scope

- Goal → defines next choices
- Boundaries
 - Which processes do you take into account
 - How much in depth
- Functional unit → impacts per what?
- Assumptions and methods
 - Uncertainties?


Courtesy of Femke Brouwer Avans university, NL fpe.brouwer@avans.nl







Inventory phase: Data gathering and evaluation




Courtesy of Femke Brouwer Avans university, NL fpe.brouwer@avans.nl






Inventory phase: Allocation





Phases of LCA



Impact assessment




- Translation of emissions to impacts
 - Classification: Connecting inputs to environmental impacts
 - For example CFC's \rightarrow Global warming, Ozone depletion
 - Characterization: Quantification of impact using characterization models
 - Translation of kg CH₄ to kg CO₂-eq using the GWP100 indicators
- Normalization
 - Making all values relative to a reference value
 - Reference scenario
 - Regional value
 - Values from different environmental impacts become comparable
- Weighting
 - > Define which impacts are important and which are less relevant



Courtesy of Femke Brouwer, Avans university, NL, fpe.brouwer@avans.n



Phases of LCA





Interpretation

- Critical evaluation of significant issues
 - Methods
 - Data
 - Assumptions
- Putting conclusions and advice in context

Courtesy of Femke Brouwer Avans university, NL fpe.brouwer@avans.nl





Example:

European Energy agency report on electric cars: *EEA report confirms: electric cars are better for climate and air quality*

https://www.eea.europa.eu/highlights/eea-report-confirms-electric-cars

The full report:

Electric vehicles from life cycle and circular economy perspectives TERM 2018: Transport and Environment Reporting Mechanism (TERM) report

https://www.eea.europa.eu//publications/the-first-and-last-mile



EEA report confirms: electric cars are better for climate and air quality https://www.eea.europa.eu/highlights/eea-report-confirms-electric-cars

The report confirms that the **greenhouse gas emissions of electric vehicles,** with the current EU energy mix and over the entire vehicle life cycle, are about **17-30 % lower than the emissions of petrol and diesel cars**. However, as the carbon intensity of the EU energy mix is projected to decrease, the life-cycle emissions of a typical electric vehicle could be cut by at least 73 % by 2050.


For **local air quality**, electric vehicles also offer clear benefits, mainly due to zero exhaust emissions at street level. However, even **electric vehicles emit particulate matter** from road, tyre and break wear, the report reminds. Shifting to electric vehicles could also reduce **noise pollution**, especially in cities where speeds are generally low and traffic often stands still. The result of the comparison is **less favourable for electric cars** when looking at the current impacts of their production on **ecosystems** and the **toxicity** of the materials involved. These impacts are mostly due to the **extraction and processing of copper, nickel and critical raw materials**. The report suggests that these impacts could be minimised through a circular economy approach that facilitates **reuse and recycling** — especially of batteries.

11.02.2020 SIDE 16

UNIVERSITETET I BERGEN




From the EEA report summary: On average there is a CO_2 emission benefit (BEV- Battery Electric Vehicle, ICEV: Internal Combustion Engine Vehicles)








- But some other environmental aspects are more negative than for IC motors....









LCA is very useful for trying to understand sustainability in a wide perspective, but requires a rational and balanced scientific approach to definitions and evaluations!



11.02.2020 SIDE 19



UNIVERSITETET I BERGEN